

VANDENBOS AFTER CARE

Physician:

DR. SAUL MANDELBAUM

3030 LAWRENCE AVE. E., SUITE 209
SCARBOROUGH, ON, M1P 2T7
416-431-1242 FAX 416-431-0836



STEP 1: Leaving the Hospital



Okay, so now is the time to relax. Sit in the back seat, get comfortable and elevate your feet. Maybe your driver will even bring a pillow!

STEP 2: At Home for the first 12-24 hours:

For Pain: Take your pain medication as instructed by Dr Mandelbaum

IBUPROFEN -

Take 600mg (3 x 200mg tablets) every 6 hrs

TYLENOL -

Take 1000mg (2 x 500mg tablets) every 6 hrs



STEP 3: 24 Hours After Surgery - The First Soak

Do your first soak on: _____


- Soak your toe in warm water with 1-2 tablespoons of Epsom Salt in it
- Remove the big gauze dressing while your toe is in the water- it can take 20-30 minutes or more to remove the first dressing -it may bleed a lot when you remove the dressing - this is NORMAL with the first few soaks and this is also why you remove the dressing when the toe is in the water



After the dressing is off, continue to soak your toe(s) for an additional 15-20 minutes

After Soaking:

- Dry your foot/feet and put 2 square pieces of gauze (2x2) on your toe(s)
- Secure the gauze snugly by wrapping the roll gauze around the toe 2-3 times
- Use tape to hold the roll gauze in place



STEP 4:



48 Hours After Surgery

- The toe(s) must be soaked 2 times EACH DAY for 15-20 minutes EACH TIME until your toe is HEALED (2-4 weeks)
- If you do not soak your toe(s) 2 times each day for 15-20 minutes each time, it will not heal properly (will take longer to heal and look messy).



STEP 5:

After 1 week:

- stop bandaging the toe(s)
- leave your toe open to the air as much as possible

FREQUENTLY ASKED QUESTIONS

Can I put cream or ointment on my toe?

It is not necessary to put any cream/ointment on your toe. If your toe(s) continues to bleed after your soak, you can put a blob of Polysporin on the wound(s) before bandaging

My toe looks a bit red and infected. Is this normal?

Yes, this is part of the normal healing process - antibiotics are generally not necessary

When should I contact Dr. Mandelbaum if I'm concerned about infection?

You should contact the doctor if the redness worsens or goes beyond the area around the surgery (i.e. if the redness goes beyond the toe, onto the foot) or if your pain worsens

Can I shower after the procedure?

Yes, you can shower after the procedure. Have a shower with the bandages on, then do a 15 minute soak.

Can I play sports after my surgery?

No sports, jogging, etc., until your toe is completely healed (approximately 4 weeks)



FOLLOW UP APPOINTMENT:

DATE: _____ TIME: _____

CONCERNS:

If you have a concern with your toe, contact Dr. Saul's's office at 416-431-1242 or visit DrSaul.ca online.

